Bestfresh

Carboxymethylcellulose Sodium 1% Sterile & Pyrogen Free Lubricant Eye Drops

Composition

Bestfresh Lubricant Eye Drops: Each mL contains Carboxymethylcellulose Sodium USP 10 mg. Preservative: Purite (Stabilized Oxychloro Complex) 0.0075%

Pharmacology

Carboxymethylcellulose Sodium increases tear viscosity and pseudoelastic properties. It is an ionic polymer containing carboxyl and hydroxyl groups. It's chemical structure is similar to mucin in the tear film and shows mucoadhesive properties. These properties promote prolonged retension time on the eye and alleviate the symptoms of tear deficiency.

Indications

Temporary relief of burning, irritation and discomfort due to dryness of the eye or exposure to wind or sun.

Dosage & Administration

Instill 1 or 2 drops in the affected eye(s) as needed or as advised by the registered physician.



Wash hands before using the eve drops



Pull down your eyelid with a clean finger



Bring the dropper tip close to the eve



Gently press the bottom of the dropper to release of medicine



Gently close your eves 2-3 minutes after administration

Contraindications

Contra-indicated in patients with previously demonstrated hypersensitivity to any of the ingredients.

Visual disturbances, ocular discharge, eye pruritus, eye irritation, burning and discomfort, palpebral/conjunctival hyperaemia were reported.

Warnings & Precautions

Concomitant ocular medication should be administered 15 minutes apart to the instillation of this eye drop. Stop use and ask a doctor if you experience any of the following:

- eye pain
- · changes in vision
- · continued redness or irritation of the eye
- · condition worsens or persists longer than 72 hours



Do not pierce with



Do not cut with



Do not touch the



Close the upper part of the cap with the container just after the use



After 30 days using container in bin

Special Guideline

- If more than one topical ophthalmic product is to be used, other eye drops should be instilled at least 5 to 10 minutes apart.
- * If using two types of eye medications such as solution and suspension, use the solution first and then use suspension.
- * If using eye drops and an eye ointment, use the eye drops first then apply the ointment at least 10 minutes later.
- Don't share eye drops with another persons because sharing drops could spread germs and infection.

Use in Pregnancy & Lactation

No information available.

Use in Children & Adolescents

Safety and effectiveness have not been established.

Drug Interactions

No information available.

Overdose

No information available.

Store below 30°C, protect from light and in a dry place. Keep out of the reach of children.

Bestfresh Lubricant Eye Drops: Each LDPE dropper bottle contains 10 mL Sterile & Pyrogen free lubricant eye drops and a patient information leaflet.

Manufactured by:



