

Uniprost SV

Travoprost 0.004%

Rx only

Sterile & Pyrogen Free Eye Drops

Composition

Uniprost SV Preservative free eye drops: Each mL contains Travoprost USP 0.04 mg.

Pharmacology

Travoprost, an isopropyl ester prodrug, is rapidly hydrolyzed by esterases in the cornea to the biologically active free acid. Travoprost free acid is a highly selective, potent agonist for the FP prostanoid receptor. FP receptor agonists are thought to reduce intraocular pressure (IOP) by increasing the outflow of aqueous humor, primarily by increased uveoscleral outflow.

Indications

Reduction of elevated intraocular pressure in patients with ocular hypertension or open-angle glaucoma.

Doses & Administration

One drop in the affected eye(s) once daily preferably in the evening or as advised by the registered physician.

①




Wash hands before using the single vial

②




Open the pillow pack & remove the strip of single vial

③



Break off one single vial from the strip. Keep the remaining strip of single vials back in the pillow pack

④



Hold the single vial by the label end and twist the cap off.

⑤



Pull down your eyelid with a clean finger.

⑥



Bring the single vial tip close to the eye, but be careful not to touch your eye.

⑦



Gently press the single vial to release one drop of medicine fall inside the lower eyelid.

⑧



Gently close your eyes few minutes after administration. Press a finger corner of the eyes by the nose for about 1 or 2 minutes.

Contraindications

Travoprost is contraindicated in patients with hypersensitive to any excipients of this preparation.

Side Effects

The most common ocular adverse effect is brown pigmentation of the iris, abnormal eyelash growth, prostaglandin associated periorbitopathy (PAP) syndrome, conjunctival hyperemia, skin hyperpigmentation, dry eye, eye discomfort and eye disorders.

Warnings & Precautions

- Travoprost should be used with caution in patients with active intraocular inflammation such as Uveitis.
- Travoprost should be used with caution in patients with known risk factors for macular edema.
- Contact lenses should be removed prior to instillation of Travoprost and may be reinserted 15 minutes following its administration.



Do not pierce with needles



Do not cut with scissor or knife



Do not touch the nozzle/single vial tip



Close the upper part of the cap with the single vial just after the use



Discard after 12 hours of opening & keep the vial in bin

Special Guideline

- ❖ If more than one topical ophthalmic product is to be used, other eye drops should be instilled at least 5 to 10 minutes apart.
- ❖ If using two types of eye medications such as solution and suspension, use the solution first and then use suspension.
- ❖ If using eye drops and an eye ointment, use the eye drops first then apply the ointment at least 10 minutes later.
- ❖ Don't share eye drops with another persons because sharing drops could spread germs and infection.

Use in Pregnancy & Lactation

Pregnancy: There are no adequate and well-controlled clinical study in pregnant women. Travoprost should be administered during pregnancy only if the potential benefit justifies the potential risk to the fetus.

Lactating: It is not known whether the drug or its metabolites are excreted in human milk. Because many drugs are excreted in human milk, caution should be exercised when Travoprost is administered to a lactating women.

Use in Children & Adolescent

The efficacy and safety of Travoprost eye drops in patients below the age of 16 years have not been established.

Drug Interaction

No specific interaction was observed with **Uniprost SV** eye drops.

Overdose

No cases of overdose have been reported.

Storage

Store below 25°C away from light and in a dry place. Keep out of the reach of children.

Packaging

Uniprost SV Preservative free eye drops: Each box contains 4 X 7's vials in Alu-Alu pillow pack & a patient information leaflet. Each single vial contains 0.1 mL of eye drops.

Manufactured by:

UNIDO
Pharmaceutical Limited
Batpara, Narsingdi, Bangladesh.

PM 2033

